

2012

Avalos A. M., Kirak O., Oelkers J. M., Pils M. C., Kim Y. M., Ottinger M., Jaenisch R., Ploegh H. L., Brinkmann M. M.

Cell-Specific TLR9 Trafficking in Primary APCs of Transgenic TLR9-GFP Mice.
J.Immunol.; 2013;190(2):695-702

Baraki H., Zinne N., Wedekind D., Meier M., Bleich A., Glage S., Hedrich H. J., Kutschka I., Haverich A..
Magnetic resonance imaging of soft tissue infection with iron oxide labeled granulocytes in a rat model.
PLoS One; 2012;7(12):e51770

Baru A. M., Ganesh V., Krishnaswamy J. K., Hesse C., Untucht C., Glage S., Behrens G., Mayer C. T., Puttur F., Sparwasser T..

Absence of Foxp3(+) Regulatory T Cells during Allergen Provocation Does Not Exacerbate Murine Allergic Airway Inflammation.
PLoS One; 2012;7(10):e47102

Beermann S., Glage S., Jonigk D., Seifert R., Neumann D..

Opposite effects of mepyramine on JNJ 7777120-induced amelioration of experimentally induced asthma in mice in sensitization and provocation.
PLoS One; 2012;7(1):e30285

Bleich E. M., Keubler L. M., Smoczek A., Mähler M., Bleich A..

Hygienic monitoring of Mongolian gerbils: which mouse viruses should be included?
Lab.Anim.; 2012;46(2):173-175

Bode J., Dutow P., Sommer K., Janik K., Glage S., Tümmler B., Munder A., Laudeley R., Sachse K. W., Klos A..

A New Role of the Complement System: C3 Provides Protection in a Mouse Model of Lung Infection with Intracellular *Chlamydia psittaci*.
PLoS One; 2012;7(11):e50327

Büchler G., Wos-Oxley M. L., Smoczek A., Zschemisch N. H., Neumann D., Pieper D. H., Hedrich H. J., Bleich A..

Strain-specific colitis susceptibility in IL10-deficient mice depends on complex gut microbiota-host interactions.
Inflamm.Bowel Dis.; 2012;18(5):943-954

Danisch S., Qiu Q., Seth S., Ravens I., Dorsch M., Shibuya A., Shibuya K., Förster R., Bernhardt G..

CD226 interaction with CD155 impacts on retention and negative selection of CD8 positive thymocytes as well as T cell differentiation to follicular helper cells in Peyer's Patches. *Immunobiology*; 2013;218(2):152-158
Daws M. R., Dai K. Z., Zinöcker S., Naper C., Kveberg L., Hedrich H. J., Rolstad B., Vaage J. T.. Identification of an MHC class I ligand for the single member of a killer cell lectin-like receptor family, KLRH1.
J.Immunol.; 2012;189(11):5178-5184

Elsner M., Terbish T., Jörns A., Naujok O., Wedekind D., Hedrich H. J., Lenzen S..

Reversal of diabetes through gene therapy of diabetic rats by hepatic insulin expression via lentiviral transduction.
Mol. Ther.; 2012;20(5):918-926

Glage S., Lewis A. L., Mertens P., Baltés S., Geigle P., Brinker T.. Evaluation of biocompatibility and anti-glioma efficacy of doxorubicin and irinotecan drug-eluting bead suspensions in alginate. *Clin. Transl.Oncol.*; 2012;14(1):50-59

Glage S., Wittur I., Elfers C., Hedrich H. J., Dorsch M..

Treatment of male mice with gonadotropins to improve the fertilization rate and reproduction.
Lab.Anim.; 2013;47(1):26-30

Grothusen C., Schuett H., Hillmer A., Lumpe S., Grote K., Ballmaier M., Bleich A., Glage S., Tietge U. J., Luchtefeld M., Schieffer B..

Role of suppressor of cytokine signaling-1 in murine atherosclerosis.
PLoS One; 2012;7(12):e51608

Hesse D., Badar M., Bleich A., Smoczek A., Glage S., Kieke M., Behrens P., Müller P. P., Esser K. H., Stieve M., Prenzler N. K..

Layered double hydroxides as efficient drug delivery system of ciprofloxacin in the middle ear: an animal study in rabbits.

J.Mater.Sci.Mater. Med.; 2013;24(1):129-136

Hiller B., Achleitner M., Glage S., Naumann R., Behrendt R., Roers A..

Mammalian RNase H2 removes ribonucleotides from DNA to maintain genome integrity.

Exp.Med.; 2012;209(8):1419-1426

Kulka A. M., Otto K. A., Bergfeld C., Beyerbach M., Kastner S. B..

Effects of isoflurane anesthesia with and without dexmedetomidine or remifentanyl on quantitative electroencephalographic variables before and after nociceptive stimulation in dogs.

Am.J.Vet.Res.; 2012;73(5):602-609

Lensing R., Bleich A., Smoczek A., Glage S., Ehlert N., Luessenhop T., Behrens P., Müller P. P., Kietzmann M., Stieve M..

Efficacy of nanoporous silica coatings on middle ear prostheses as a delivery system for antibiotics: An animal study in rabbits.

Acta Biomater.; 2013;9(1):4815-4825

Lenzen H., Lünemann M., Bleich A., Manns M. P., Seidler U., Jörns A..

Downregulation of the NHE3-binding PDZ-adaptor protein PDZK1 expression during cytokine-induced inflammation in interleukin-10-deficient mice.

PLoS One; 2012;7(7):e40657

Michael S., Keubler L. M., Smoczek A., Meier M., Gunzer F., Pohlmann C., Krause-Buchholz U., Hedrich H. J., Bleich A..

Quantitative Phenotyping of Inflammatory Bowel Disease in the IL-10-deficient Mouse by Use of Noninvasive Magnetic Resonance Imaging.

Inflamm.Bowel Dis.; 2013;19(1):185-193

Northrup E., Held N., Hedrich H. J., Bleich A..

Mice may become caught in nesting material.

Lab.Anim.(NY); 2012;41(6):147-147

Northrup E., Zschemisch N. H., Eisenblätter R., Glage S., Wedekind D., Cuppen E., Dorsch M., Hedrich H. J..

The ter Mutation in the Rat Dnd1 Gene Initiates Gonadal Teratomas and Infertility in Both Genders.

PLoS One; 2012;7(5):e38001

Plentz R. R., Palagani V., Wiedemann A., Diekmann U., Glage S., Naujok O., Jörns A., Müller T..

Islet microarchitecture and glucose transporter expression of the pancreas of the marmoset monkey display similarities to the human.

Islets; 2012;4(2):123-129

Pöhlmann C., Thomas M., Förster S., Brandt M., Hartmann M., Bleich A., Gunzer F..

Improving health from the inside: Use of engineered intestinal microorganisms as in situ cytokine delivery system.

Bioengineered; 2012;4(3??)

Pott J., Stockinger S., Torow N., Smoczek A., Lindner C., McInerney G., Bäckhed F., Baumann U., Pabst O., Bleich A., Hornef M. W..

Age-dependent TLR3 expression of the intestinal epithelium contributes to rotavirus susceptibility.

PLoS Pathog.; 2012;8(5):e1002670

Rodt T., Luepke M., Boehm C., Hueper K., Halter R., Glage S., Hoy L., Wacker F., Borlak J., von Falck C..

Combined Micro-PET/Micro-CT Imaging of Lung Tumours in SPC-raf and SPC-myc Transgenic Mice.

PLoS One; 2012;7(9):e44427

Scheumann M., Roser A. E., Konerding W., Bleich E., Hedrich H. J., Zimmermann E..

Vocal correlates of sender-identity and arousal in the isolation calls of domestic kitten (*Felis silvestris catus*).
Front. Zool.; 2012;9(1):36

Sommer T., Meier M., Bruns F., Pabst R., Breves G., Hadamitzky C..
Quantification of Lymphedema in a Rat Model by 3D-Active Contour Segmentation by Magnetic Resonance Imaging.
Lymphat Res.Biol.; 2012;10(1):25-29

Sterenczak K. A., Meier M., Glage S., Meyer M., Willenbrock S., Wefstaedt P., Dorsch M., Bullerdiek J., Murua Escobar H., Hedrich H., Nolte I..
Longitudinal MRI contrast enhanced monitoring of early tumour development with manganese chloride (MnCl₂) and superparamagnetic iron oxide nanoparticles (SPIOs) in a CT1258 based in vivo model of prostate cancer.
BMC Cancer; 2012;12:284

Wiedemann A., Hemmer K., Bernemann I., Göhring G., Pogozykh O., Figueiredo C., Glage S., Schambach A., Schwamborn J. C., Blasczyk R., Müller T..
Induced Pluripotent Stem Cells Generated from Adult Bone Marrow-Derived Cells of the Nonhuman Primate (*Callithrix jacchus*) Using a Novel Quad-Cistronic and Excisable Lentiviral Vector.
Cell.Reprogram; 2012;14(6):485-496

Willenbrock S., Knippenberg S., Meier M., Hass R., Wefstaedt P., Nolte I., Murua Escobar H., Petri S..
In vivo MRI of intraspinally injected SPIO-labelled human CD34+ cells in a transgenic mouse model of ALS.
In Vivo; 2012;26(1):31-38

Witte F., Kalla K., Meier M..
Magnesium corrosion associated gas cavity formation imaged in vivo using MRI.
Eur Cell Mater; 2012;23(Suppl.2):38

Wos-Oxley M., Bleich A., Oxley A. P., Kahl S., Janus L. M., Smoczek A., Nahrstedt H., Pils M. C., Taudien S., Platzer M., Hedrich H. J., Medina E., Pieper D. H..
Comparative evaluation of establishing a human gut microbial community within rodent models.
Gut Microbes; 2012;3(3):234-249

Wunderlich S., Haase A., Merkert S., Beier J., Schwanke K., Schambach A., Glage S., Göhring G., Curnow E. C., Martin U..
Induction of pluripotent stem cells from a cynomolgus monkey using a polycistronic simian immunodeficiency virus-based vector, differentiation toward functional cardiomyocytes, and generation of stably expressing reporter lines.
Cell.Reprogram; 2012;14(6):471-484

Zschemisch N. H., Glage S., Wedekind D., Weinstein E. J., Cui X., Dorsch M., Hedrich H. J..
Zinc-finger nuclease mediated disruption ???